


BULK PRODUCTS TO BE MIXED



AVAILABLE IN BAGS OF 20 KG | YIELD PER BAG $\approx$ 0,2 M3

DESCRIPTION

Canapulo Fine 0-6 is obtained by mechanical scutching of hemp bales and subsequent shredding of the stems. **Canapulo Fine 0-6** is produced with hemp that is cultivated, processed and packaged starting from selected and certified seeds in accordance with European legislation on the content of Δ 9-THC.

COMPOSITION

- 100% sourced from hemp stalks
- 97.5% organic matter, of which:
- 52% cellulose, 18% lignin, 9% hemicellulose

DENSITY

- About 130 Kg/m³ $\pm$ 5%

HUMIDITY

- 19% of the raw material, systematic control at the entrance;
- About 13% on average on the finished product, based on over 1500 measurements per year.

GRANULOMETRY

Particle size measurements are regularly carried out by screening in order to check the dimensional regularity of the hemp shiv.

GRANULOMETRIC BREAKDOWN:

- More than 4 mm: less than 3%
- 1- 4 mm: greater than 90%
- Less than 0.6 mm: less than 2%

CHEMICAL

- Water: from 9 to 14%
- Dry matter from 85 to 90% of which:
- Total organic matter: 97.5% on dry matter, of which:
 - Crude cellulose: 52%
 - Lignin: 18%
 - Hemicellulose: 9%
 - Minerals:
 - Calcium: 5 g/kg (dry)
 - Magnesium: 0,17 g/kg (dry)
 - Phosphorus: 0,18 g/kg (dry)
 - Potassium: 1,8 g/kg (dry)
 - Total nitrogen: from 0,3 to 1% (dry)
 - Total carbon: 49,2% (dry)
 - C/N: 160
- Ashes: 2%
- PH in suspension at 10%: 6.7

Available in 20kg bags
(n.21 bags per pallet dim.80x120 h. 220cm)